



Exterior accessible parking spaces shall be located on the shortest route as per CT. Code section 1106.6 and identified by both a standing sign and painted on the pavement. The fee of violation posted as per the TOWN OF MONROE ORDINANCE (102-3A) states “ parking violation is **MINIMUM \$85.00 .**” This fine is not an infraction as it would be if a town did not have an ordinance. The width of the parking space is 15 feet including 5 feet of cross hatch as per the C.G.S. subsection (h) 14-253a .
Minimum ONE sixteen(16) feet wide including eight feet (8) of cross hatch
HANDICAP VAN PARKING SPACE.

56. Exterior accessible parking spaces shall be located on the shortest route as per CT. Code section 1106.6 and identified by both a standing sign and painted on the pavement. The fee of violation posted as per the TOWN OF MONROE ORDINANCE “ **W A S** “ (102-3A) states “ parking violation is **MINIMUM \$85.00 .**” This fine was not an infraction as it would be if a town did not have an ordinance. **NOW THE SIGNS SHALL READ HANDICAP PARKING MINIMUM FINE \$150.00**
The width of the parking space is 15 feet including 5 feet of cross hatch as per the C.G.S. subsection (h) 14-253a .
Minimum ONE sixteen(16) feet wide including eight feet (8) of cross hatch
HANDICAP VAN PARKING SPACE.

Re:

Monroe, Connecticut 06468
Connecticut General Statutes
October 1, 2004 p.a. 04 - 237 Sec. 14-253
HANDICAPPED PARKING SPACES (section 14-253a(h))
HANDICAPPED PARKING SPACE SIGNS (section 14-253a(f))
TOWN OF MONROE ORDINANCE (102-3A)
CT. sup 1999 1105.1.1 REVISED PUBLIC ACT-07-52
OCTOBER 1, 2007 AND CODE OF MONROE
AUGUST 24, 2009

Please acknowledge that when a handicapped accessible parking space or sign is replaced, or erected it shall be done per the present law requirements. Property owners or managers shall maintain their properties.

October 1, 2007 p.a. 07 - 52 At least one van space be provided on and after October 1, 2007, parking spaces for passenger vans designated for the handicapped shall be as near as possible to a building entrance or walkway and shall be sixteen(16) feet wide including eight feet (8) of cross hatch.

The next handicapped parking space is a car space painted 15 feet wide which includes 5 feet of cross hatch at the curb cut and the international symbol. The standing sign shall read :

“ HANDICAPPED PARKING PERMIT REQUIRED “ and “ VIOLATORS WILL BE FINED MINIMUM \$150.00 “ in addition to the international symbol.



International Symbol of Accessibility

The amount of the fine for parking in a handicapped space without displaying a plate or placard is the states minimum and is what the Town of Monroe requires. Other towns may require higher fines for violators.


The Connecticut Building Code requires EXISTING BUILDINGS , SIGNS, and EXIT ACCESSES MAINTAINED.

Exterior accessible parking spaces shall be located on flat ground with gradient not more than 1:50 on the shortest route . Spaces shall be identified by both a standing sign and painted symbol on the pavement. The fee of violation posted as per the CT. Building Code Supplement and the TOWN OF MONROE ORDINANCE (102-3A) states “ parking violation is FINED MINIMUM \$150.00 .” This fine is not an infraction as it would be if a town did not have an ordinance. The width of the first space is sixteen (16) feet wide including eight feet (8) of cross hatch.

The second parking space is 15 feet including 5 feet of cross hatch at the curb cut as per the C.G.S. subsection (h) 14-253a .

The amount of accessible parking spaces required is one space for one to twenty- five spaces is a van space and one more accessible parking space for each twenty five parking spaces up to one hundred as per the 2005 CT. Building Code Supplement table 1105.1.

The Sign post mounting shall be in accordance with either the 2005 CT. Building Code Supplement reference standard 2003 ICC/ANSI A117.1 Accessible Buildings & Facilities section 502.7 Identification including section 703.6.3.1 Signs identifying parking spaces at sixty inches above the ground to the bottom of the sign. "OR" CONNDOT form 814A.M.18 & 31-0629(D) & Standard Sheet 1206-B typ. Shown at four feet in the ground and seven feet above the ground to the bottom of the sign.



Connecticut General Statutes
 October 1, 2007 p.a. 07 - 52

Parking Spaces Required

All such spaces shall be designated as reserved for exclusive use by handicapped persons and identified by the use of signs in accordance with subsection (h) of this section. Such parking spaces shall be adjacent to curb cuts or other unobstructed methods permitting sidewalk access to a blind or handicapped person and shall be fifteen feet wide, including five feet of cross hatch, or be parallel to a sidewalk.

The provisions of this subsection shall not apply (1) in the event the State Building Code imposes more stringent requirements as to the size of the private parking area in which special parking spaces are required or as to the number of special parking spaces required or (2) in the event a municipal ordinance imposes more stringent requirements as to the size of existing private parking areas in which special parking spaces are required or as to the number of special parking spaces required.